

**Assessment tools for certification  
in the internship "Production practice:  
practice of a therapeutic profile"  
for students of the educational program  
Specialist degree in the specialty/direction of training  
31.05.01 Medical business,  
direction (profile) Medical business,  
form of study full-time  
for the 2023-2024 academic year**

Current certification includes the following types of tasks: testing, interviewing control questions, assessment of the development of practical skills (abilities).

Intermediate certification in practice includes the following types of tasks: interview for control questions, assessment of the development of practical skills( abilities), preparation of a report.

**1. Examples of test tasks**

Verifiable indicators of competence achievement: UC-1.1.3; GPC-1.1.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3; GPC-5.1.1; GPC-6.1.1, GPC-6.1.2, GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-10.1.1, GPC-10.1.2; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4.

1. Which statement about variant angina is correct?
  - a) ST-segment depression is recorded on the ECGST
  - b) the attack is most often provoked by physical exertion
  - c) variant angina occurs as a result of spasm of the coronary arteries
  - d) to prevent seizures, it is advisable to use beta-blockers
  - e) variant angina refers to stable forms of CHD
2. Which of the following is not included in the concept of "resorption-necrotic syndrome"?
  - a) increased body temperature
  - b) increased alkaline phosphatase levels
  - c) neutrophil shift
  - d) increase in ESR
  - e) detection of C-reactive protein
3. What is the typical symptom of Dresler's syndrome?
  - a) increased body temperature
  - b) pericarditis
  - c) pleurisy
  - d) increased eosinophil count
  - e) all of the above
4. The main criteria for a rheumatic attack are all listed, except:
  - a) chorea
  - b) ring-shaped erythema
  - c) carditis
  - d) Goeberden's nodules

- e) subcutaneous nodules
5. Mitral valve insufficiency can develop as a result of:
- a) rheumatic attack
  - b) myocardial infarction
  - c) chest injuries
  - d) infectious endocarditis
  - e) all of the above
6. In case of paroxysmal ventricular tachycardia, which of the drugs should not be used?
- a) strophanthin
  - b) lidocaine
  - c) novocainamide
  - d) etacizin
  - e) cordarone
7. Arterial hypertension can be suspected by the following clinical signs and manifestations:
- a) short-term episodes of loss of consciousness
  - b) heart rhythm and conduction disorders
  - c) the presence of peripheral edema
  - d) pain in the parietal and occipital regions
  - e) violation of the breathing rhythm
8. The main sign of nephrogenic hypertension is:
- a) reduction in kidney size
  - b) kidney dystopia
  - c) impaired renal function
  - d) narrowing of the renal artery by 20%
  - e) the presence of signs of concretions in the pelvis
9. What type of hyperlipoproteinemia has elevated blood cholesterol, triglycerides, LDL and VLDL?
- a) I
  - b) IIa
  - c) IIb
  - d) III
  - e) IV
10. Coronary heart disease manifests itself in all of the following conditions, except:
- a) angina pectoris of tension
  - b) pain-free transient ST segment depression on the ECG
  - c) variant angina pectoris
  - d) myocardial infarction
  - e) peripheral arterial embolism

## 2. List of control questions for the interview

№	Questions for certification	Verifiable indicators of achievement of competencies
<b>Emergency care</b>		
1.	Algorithm for diagnosis and emergency care in cardiogenic shock	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
2.	Algorithm of diagnosis and emergency care for a patient with pulmonary edema on the background of acute myocardial infarction	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
3.	Emergency care for infectious and toxic shock	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
4.	Emergency care for status anginosus (myocardial infarction), relief of pain syndrome	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
5.	Providing emergency care for status asthmaticus (астматическом статусе)	CC-1.1.3, CC-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1,

		PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
6.	Emergency care for allergic reactions: angioedema Quincke, urticaria	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
7.	Emergency care for anaphylactic shock	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
8.	Indications and methods of oxygen	therapy UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
9.	Differential diagnosis of rhythm disorders and emergency care for paroxysmal tachycardia	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
10.	Algorithm for diagnosis and emergency care in hypertensive	crisis UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.



	with arrhythmic shock	GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
17.	Algorithm for diagnosis and emergency care of patients with hemoptysis	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
18.	Differential diagnosis and emergency care in acute dyspeptic syndrome	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
19.	Emergency care for paroxysmal atrial fibrillation	CC-1.1.3, CC-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
20.	Patient management tactics in case of suspected delaminating aortic aneurysm	CC-1.1.3, CC-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
21.	Emergency care for atrioventricular block, Morgagni-Adams-Stokes syndrome	CC-1.1.3, CC-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-

		1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
22.	Differential diagnosis and emergency care in acute renal failure	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
23.	Differential diagnosis and emergency care for pericarditis	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
24.	Emergency care in case of clinical death, asystole and ventricular fibrillation	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
25.	Algorithm for diagnosis and emergency care in hepatic insufficiency	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
26.	Diagnosis of complications of acute diffuse glomerulonephritis and emergency care	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-

		2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
27.	Providing emergency care for an attack of bronchial asthma	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
28.	Providing emergency care for eclampsia	CC-1.1.3, CC-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
29.	Algorithm of diagnostics and emergency care in syncopal states	of the Criminal Code-1.1.3, Criminal Code-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
30.	Differential diagnosis and care for myocarditis	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
31.	Emergency care for PE	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-

		3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
32.	Emergency care for respiratory distress syndrome	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
33.	Emergency care for hypovolemic shock	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
34.	Emergency care for febrile syndrome	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
35.	Emergency care for convulsive syndrome	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.
36.	Emergency care for tracheobronchial patency disorders	UK-1.1.3, UK-1.2.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC6. 1. 1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4, PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.

Interpretation of data from paraclinical studies

37.	Registration method and parameters of normal ECG	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
38.	Method of measuring blood pressure. Interpretation of blood pressure indicators in various pathological conditions.	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
39.	Laboratory criteria for hepatic-cellular insufficiency	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
40.	Study of the function of external respiration. The main indicators of the spirogram (FEV <sub>1</sub> , maximum expiratory velocity, VEL, functional tests).	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
41.	Method of performing a pleural puncture. Evaluation of the results of the study of pleural fluid.	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
42.	Methods of indirect heart massage	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
43.	Laboratory criteria for cholestasis syndrome	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3

44.	Methods of conducting and evaluating stress tests (bicycle ergometry, treadmill test)	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
45.	Laboratory and ECG signs of acute coronary syndrome	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
46.	Method of evaluation of general urinalysis, according to Nechiporenko, Zimnitsky and Reberg samples, calculation of glomerular filtration rate according to Cockcroft-Gault formulas, SKD-EPI	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
47.	The concept of peak expiratory velocity variability. Methods of conducting and evaluating the results of peak fluometry indicators in diseases of the bronchopulmonary system (COPD, BA).	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
48.	Laboratory methods of differential diagnosis of chronic hepatitis	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
49.	Laboratory methods for the diagnosis of acute rheumatic fever	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
50.	Laboratory and instrumental methods for diagnosing bronchial asthma	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-

		2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
51.	Clinical and instrumental signs of pneumonia	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
52.	Clinical and instrumental signs of lung abscess	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
53.	Assessment of lipid metabolism parameters and the nature of changes in lipid fractions in atherosclerosis and CHD, target values.	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
54.	Indications and methods of electro-pulse therapy	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
55.	Laboratory methods for the diagnosis of chronic diffuse glomerulonephritis and CRF	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
56.	Laboratory methods for the diagnosis of chronic iron deficiency anemia	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
57.	Laboratory criteria for the diagnosis of acute and chronic myeloid	leukemia GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3

		2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
58.	Laboratory criteria for the diagnosis of acute and chronic lymphocytic	leukemia GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
59.	Diagnostic criteria for acute myocardial infarction	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
60.	Clinical and instrumental signs of mitral stenosis	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
61.	Clinical and instrumental signs of mitral insufficiency	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
62.	Clinical and instrumental signs of aortic stenosis	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
63.	Clinical and instrumental signs of aortic insufficiency	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
64.	Methods of performing and evaluating the results of sternal puncture	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-

		2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
65.	Method of conducting and evaluating the results of gastric pH-metric sounding (criteria for hypo-and hypersecretory disorders)	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
66.	Laboratory criteria for parenchymal and mechanical jaundice	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
67.	Laboratory diagnostics of nephrotic syndrome and renal failure	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
68.	Indications for blood transfusions, methods of blood transfusions, complications	of GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
69.	Principles of the method R of diagnostic examination of the esophagus, stomach, duodenum, diagnostic capabilities, patient preparation, indications, contraindications	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
70.	Principles of the FGDS method, diagnostic capabilities, training rules, indications and contraindications for performing	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1, GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
71.	Indications and methods of daily ECG monitoring, interpretation of the results	GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-10.1.1,

		GPC-10.1.2, GPC-10.2.1, GPC-10.2.2; PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3
72.	Indications and methods of daily blood pressure monitoring (ABPM), interpretation of the results	of GPC-1.1.1, GPC-1.2.1, GPC-1.2.2; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3, GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.1.1, GPC-5.2.1; GPC-6.1.1, GPC-6.1.2, GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; GPC-10.2.1, GPC-10.2.2; PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3

### 3. Examples of practical skills assessment tasks

Verifiable indicators of competence achievement: UC-1.2.1; GPC-1.2.1, GPC-1.2.2; GPC-4.2.1, GPC-4.2.2, GPC-4.2.3, GPC-4.2.4, GPC-4.3.1, GPC-4.3.2, GPC-4.3.3; GPC-5.2.1; GPC-6.2.1, GPC-6.2.3, GPC-6.2.4; GPC-7.2.1, GPC-7.2.2, GPC-7.2.3, GPC-7.3.1; GPC-10.2.1, GPC-10.2.2; PC-1.2.1, PC-1.2.2, PC-1.2.3, PC-1.2.4, PC-2.2.1, PC-2.2.2, PC-2.2.3, PC-2.2.4, PC-2.2.5, PC-2.2.6, PC-2.2.7, PC-2.2.8, PC-2.2.9, PC-2.2.10, PC-2.2.12, PC-2.2.14, PC-2.2.15, PC-2.3.1, PC-2.3.2, PC-2.3.3; PC-3.2.1, PC-3.2.2, PC-3.2.4, PC-3.3.1.

- 1) Organization of the general practitioner's workplace taking into account ergonomics, rules of asepsis and antiseptics, and prevention of infectious diseases.
- 2) Registration of documents of the primary patient (medical history).
- 3) Registration of the discharge epicrisis.
- 4) Registration of a medical appointment list.
- 5) Interview of the patient (complaints, medical history).

### 4. Examples of report topics

Verifiable indicators of competence achievement: UC-1.1.3; GPC-1.1.1; GPC-4.1.1, GPC-4.1.2, GPC-4.1.3; GPC-5.1.1; GPC-6.1.1, GPC-6.1.2, GPC-7.1.1, GPC-7.1.2, GPC-7.1.3, GPC-10.1.1, GPC-10.1.2; PC-1.1.1, PC-1.1.2, PC-1.1.3, PC-1.1.4, PC-1.1.5, PC-1.1.6, PC-1.1.7, PC-1.1.8, PC-2.1.4, PC-2.1.6, PC-2.1.7, PC-2.1.8, PC-2.1.9; PC-3.1.1, PC-3.1.2, PC-3.1.3, PC-3.1.4.

- 1) Clinical case of a patient with a disease of the cardiovascular system. Etiology, pathogenesis, clinical picture, diagnosis, differential diagnosis, treatment. Features of ethics and deontology in patient management.
- 2) Clinical case of a patient with respiratory diseases. Etiology, pathogenesis, clinical picture, diagnosis, differential diagnosis, treatment. Features of ethics and deontology in patient management.
- 3) Clinical case of a patient with a disease of the gastrointestinal tract. Etiology, pathogenesis, clinical picture, diagnosis, differential diagnosis, treatment. Features of ethics and deontology in patient management.

The full fund of practice assessment tools is available in the EIE of VolgSMU at the link (s):

[https://elearning.volgm.ru/.....](https://elearning.volgm.ru/)

Considered at the meeting of the Department of Faculty therapy " 24 " May 2023, Protocol No. 10.

Head of the Department  
Faculty of Therapy, MD, Professor

  
\_\_\_\_\_  
Signature

A. R. Babaeva